MULTIMEDIA UNIVERSITY

STUDENT ID NO

MULTIMEDIA UNIVERSITY

FINAL EXAMINATION

TRIMESTER 1, 2015/2016

TEM1116 – PROBABILITY AND STATISTICS

(All sections / Groups)

08 OCTOBER 2015
2.30 p.m - 4.30 p.m
(2 Hours)

INSTRUCTIONS TO STUDENTS

1. This Question paper consists of 9 pages with 4 Questions only.
2. Attempt **ALL** questions. The distribution of the marks for each question is given.
3. Please print all your answers in the Answer Booklet provided.

1.

a. A and B are two events with $P(A) = 0.6$, $P(B) = 0.7$ and $P(A \cup B) = 0.89$.

(i) Find $P(A \cap B)$. [2 Marks]

(ii) Find $P(A \cap \bar{B})$. [2 Marks]

b. A committee of 5 is to be chosen from 8 science students and 7 commerce students. How many ways can the committees be chosen

(i) If there is no restriction. [1 Mark]

(ii) If there must be more science students than commerce students in the committee. [2 Marks]

c. If the number of calls received on a day follows a Poisson distribution with mean 1.5. Calculate, correct to three decimal places,

(i) the probability of not receiving any call in a day. [1 Mark]

(ii) the probability of receiving not more than three calls in a day. [2 Marks]

(iii) the probability of not receiving any call for two consecutive days. [2 Marks]

d. The joint probability mass function (pmf) is shown in the following table:

P(A,B)		B		
		0	1	2
A	0	0.10	0.04	0.02
	1	0.08	0.20	0.06
	2	0.06	0.14	0.30

(i) What is $P(A = 1 \text{ and } B = 1)$? [1 Mark]

(ii) Compute $P(A \leq 1 \text{ and } B \leq 1)$. [2 Marks]

Continued...

2.

a. According to a survey conducted on June 2015 to working men aged between 35-40 years old, 40% of them felt that their financial situation was better than that of their father. Assume that this percentage is true for the current population of all working men aged between 35-40 years old.
A recent sample of 25 working men aged between 35-40 years old is randomly selected. Let $\hat{p}$ be the sample proportion of working men aged between 35-40 years old who hold this view.

(i) What is the probability that 64% to 70% of them hold this view? [4 Marks]

(ii) What is the probability that at least 60% of them hold this view? [3 Marks]

b. According to a survey conducted by IT World magazine, network engineers earn an average of RM53,600 per year. This survey is based on a random sample of 25 network engineers. Assume that the current annual salaries of all such network engineers is approximating normal distribution and the sample standard deviation is RM6300.

(i) Determine a 99% confidence interval for the corresponding population mean. [4 Marks]

(ii) Determine a 95% confidence interval for the corresponding population variance. [4 Marks]

3.

a. A questionnaire was sent to a large number of people, asking for opinions about a proposal to alter an examination syllabus. Of the 180 replies received, 134 were in favor of the proposal. Assuming that the people replying were randomly sampled from the population, carry out a hypothesis test at 5% significant level that the population proportion in favor of the proposal is more than 0.7.

[5 Marks]

b. A random variable X is known to have a normal distribution with variance 36 and mean μ. A random sample of 50 observations of X has mean 20.2. Carry out a hypothesis test at 1% significance level with the null hypothesis $\mu = 22$ against the alternative hypothesis $\mu < 22$.

[5 Marks]

Continued...

4.

A psychologist believes that daily time spent on internet and the duration of daily free time of teenagers is correlated. He has randomly interviewed 8 teenagers and collected the data as below:

Duration of daily free time, x minutes	80	99	70	76	71	83	96	79
Daily time spent, y minutes	69	86	68	75	62	64	60	53

a. Find $\sum x, \sum y, \sum x^2, \sum y^2, \sum xy$, S_{xy} and S_{xx}. [4 Marks]

b. Find the equation of the regression line. [2 Marks]

c. How much time will a teenager spend on internet if he/she has 75 minutes of free time on a particular day? [1 Mark]

d. Calculate the correlation coefficient, r. What does this value indicate? [3 Marks]

End of Page

FORMULA LIST

Probability

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$

$$P(A \cup B) = P(A) + P(B)$$

$$P(A|B) = \frac{P(A \cap B)}{P(B)}$$

$$E(X) = \mu_X = \sum_{x \in D} x \cdot p(x)$$

$$V(X) = \sigma^2 = [\sum_D x^2 . p(x)] - \mu^2 = E(X^2) - [E(X)^2]$$

$$b(x;\ n,\ p) = {}^nC_x p^x q^{n-x}$$

$$P(X=x) = f(x;\ \lambda) = \frac{e^{-\lambda}\lambda^x}{x!}$$

Joint Continuous Distribution

$$E(XY) = \int_x \int_y xy \cdot f(x,y)\, dy\, dx$$

$$\text{cov}(X,Y) = E(XY) - E(X) \cdot E(Y)$$

Sampling Distribution

Standardize a sample mean value : $Z = \dfrac{\overline{X} - \mu}{\frac{\sigma}{\sqrt{n}}}$

Standardize a sample proportion value: $z = \dfrac{\hat{p} - p}{\sqrt{pq/n}}$

Confidence Interval

$$\bar{x} - Z_{\alpha/2}\frac{\sigma}{\sqrt{n}} < \mu < \bar{x} + Z_{\alpha/2}\frac{\sigma}{\sqrt{n}}$$

$$n = \left(\frac{Z_{\alpha/2}\sigma}{\varepsilon}\right)^2$$

$$\bar{x} \pm t_{\alpha/2}\frac{s}{\sqrt{n}} \qquad \text{OR} \qquad \bar{x} - t_{\alpha/2}\frac{s}{\sqrt{n}} < \mu < \bar{x} + t_{\alpha/2}\frac{s}{\sqrt{n}}$$

$$\hat{p}-Z_{\alpha/2}\sqrt{\frac{\hat{p}\hat{q}}{n}}<p<\hat{p}+Z_{\alpha/2}\sqrt{\frac{\hat{p}\hat{q}}{n}}$$

$$n\approx\left(\frac{Z_{\alpha/2}\sqrt{\hat{p}\hat{q}}}{E}\right)^2$$

$(1-\alpha)100\%$ confidence internal for population variance $=\left(\dfrac{(n-1)s^2}{\chi^2_{\alpha/2}},\dfrac{(n-1)s^2}{\chi^2_{1-\alpha/2}}\right)$

Hypothesis Test

$$Z=\frac{\overline{X}-\mu}{\frac{\sigma}{\sqrt{n}}}$$

$$Z=\frac{\hat{p}-p}{\sqrt{\frac{p(1-p)}{n}}}$$

$$\chi^2=\frac{(n-1)s^2}{\sigma^2}$$

Linear Regression and Correlation

$$S_{xy}=\sum xy-\frac{\sum x\sum y}{n}$$

$$S_{xx}=\sum x^2-\frac{\left(\sum x\right)^2}{n}$$

$$S_{yy}=\sum y^2-\frac{\left(\sum y\right)^2}{n}$$

$$\beta_1=\frac{S_{xy}}{S_{xx}}$$

$$\beta_0=\bar{y}-\beta_1\bar{x}$$

The regression line equation: $\hat{y}=\beta_0+\beta_1 x$

$$r=\frac{S_{xy}}{\sqrt{S_{xx}S_{yy}}}$$

Table A.3 Standard Normal Curve Areas

$\Phi(z) = P(Z \leq z)$



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
−3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
−3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
−3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
−3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
−3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
−2.9	.0019	.0018	.0017	.0017	.0016	.0016	.0015	.0015	.0014	.0014
−2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
−2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
−2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
−2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0038
−2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
−2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
−2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
−2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
−2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
−1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
−1.8	.0359	.0352	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
−1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
−1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
−1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
−1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0722	.0708	.0694	.0681
−1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
−1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
−1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
−1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
−0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
−0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
−0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
−0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
−0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
−0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
−0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3482
−0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
−0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
−0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641

Table A.3 Standard Normal Curve Areas *(cont.)* $\Phi(z) = P(Z \leq z)$

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9278	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

Table A.5 Critical Values for t Distributions



ν \ α	.10	.05	.025	.01	.005	.001	.0005
1	3.078	6.314	12.706	31.821	63.657	318.31	636.62
2	1.886	2.920	4.303	6.965	9.925	22.326	31.598
3	1.638	2.353	3.182	4.541	5.841	10.213	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.500	2.807	3.485	3.767
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	1.310	1.697	2.042	2.457	2.750	3.385	3.646
32	1.309	1.694	2.037	2.449	2.738	3.365	3.622
34	1.307	1.691	2.032	2.441	2.728	3.348	3.601
36	1.306	1.688	2.028	2.434	2.719	3.333	3.582
38	1.304	1.686	2.024	2.429	2.712	3.319	3.566
40	1.303	1.684	2.021	2.423	2.704	3.307	3.551
50	1.299	1.676	2.009	2.403	2.678	3.262	3.496
60	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	1.289	1.658	1.980	2.358	2.617	3.160	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.090	3.291

Table A.7 Critical Values for Chi-Squared Distributions



ν	.995	.99	.975	.95	.90	.10	.05	.025	.01	.005
1	0.000	0.000	0.001	0.004	0.016	2.706	3.843	5.025	6.637	7.882
2	0.010	0.020	0.051	0.103	0.211	4.605	5.992	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.344	12.837
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.070	12.832	15.085	16.748
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.440	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.012	18.474	20.276
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.534	20.090	21.954
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.022	21.665	23.587
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.724	26.755
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.300
13	3.565	4.107	5.009	5.892	7.041	19.812	22.362	24.735	27.687	29.817
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.600	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.577	32.799
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.407	7.564	8.682	10.085	24.769	27.587	30.190	33.408	35.716
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.843	7.632	8.906	10.117	11.651	27.203	30.143	32.852	36.190	38.580
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.033	8.897	10.283	11.591	13.240	29.615	32.670	35.478	38.930	41.399
22	8.643	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289	42.796
23	9.260	10.195	11.688	13.090	14.848	32.007	35.172	38.075	41.637	44.179
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.558
25	10.519	11.523	13.120	14.611	16.473	34.381	37.652	40.646	44.313	46.925
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.807	12.878	14.573	16.151	18.114	36.741	40.113	43.194	46.962	49.642
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.120	14.256	16.147	17.708	19.768	39.087	42.557	45.772	49.586	52.333
30	13.787	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
31	14.457	15.655	17.538	19.280	21.433	41.422	44.985	48.231	52.190	55.000
32	15.134	16.362	18.291	20.072	22.271	42.585	46.194	49.480	53.486	56.328
33	15.814	17.073	19.046	20.866	23.110	43.745	47.400	50.724	54.774	57.646
34	16.501	17.789	19.806	21.664	23.952	44.903	48.602	51.966	56.061	58.964
35	17.191	18.508	20.569	22.465	24.796	46.059	49.802	53.203	57.340	60.272
36	17.887	19.233	21.336	23.269	25.643	47.212	50.998	54.437	58.619	61.581
37	18.584	19.960	22.105	24.075	26.492	48.363	52.192	55.667	59.891	62.880
38	19.289	20.691	22.878	24.884	27.343	49.513	53.384	56.896	61.162	64.181
39	19.994	21.425	23.654	25.695	28.196	50.660	54.572	58.119	62.426	65.473
40	20.706	22.164	24.433	26.509	29.050	51.805	55.758	59.342	63.691	66.766

For $\nu > 40$, $\chi^2_{\alpha,\nu} \approx \nu\left(1 - \frac{2}{9\nu} + z_\alpha\sqrt{\frac{2}{9\nu}}\right)^3$